



Developments and Barriers in Solar Energy: Conversion Technologies, System Integration, and Future Directions

Shen Zei¹, Motto Rrci², Aishir Al-Khalidi²

Department of Sustainable Energy Systems, Nile Valley Institute of Technology, India

Department of Mechanical Engineering, Politecnico di Torino, Turin, Italy

ARTICLE INFO

Keywords:

Solar photovoltaics, Concentrated solar power, Energy storage, Photothermal conversion, Hybrid systems, Solar fuels, Sustainability, Smart grids, Solar integration, Renewable energy

ABSTRACT

Solar energy is central to the global shift toward sustainable power systems. Owing to its vast availability, scalability, and diverse technology base, it is the leading renewable option to address climate-mitigation and energy-security goals. This review synthesizes recent progress in solar harvesting across photovoltaic (PV) devices, concentrated solar power (CSP), photothermal platforms, solar-driven hydrogen production, and hybrid solar-storage configurations. It covers materials breakthroughs—perovskites, tandem architectures, and nanostructured absorbers—as well as system-level advances in grid integration, demand-response coupling, and smart solar design. Using a comparative framework, we assess efficiency gains, cost declines, life-cycle sustainability, and techno-economic performance across pathways. Key findings include >85% PV cost reductions since 2010, CSP achieving dispatchable output via molten-salt thermal storage, and emerging solar-to-hydrogen routes surpassing 15% efficiency at lab scale. Figures and tables map trends in deployment, record efficiencies, and integration bottlenecks. The discussion highlights remaining barriers—intermittency, land-use trade-offs, end-of-life module recycling, and region-specific socio-economic factors. We conclude that no single pathway is universally optimal; a diversified portfolio that blends PV, CSP, storage, and solar fuels offers the most resilient trajectory to net-zero systems. Future work should focus on durability, circular-economy strategies, and policy mechanisms that accelerate widespread solar integration.

1. Introduction

The global energy system is undergoing a profound transformation, driven by the urgent need to mitigate climate change, reduce dependence on fossil fuels, and enhance energy security. Solar energy has emerged as one of the most promising renewable resources due to its abundance, geographical ubiquity, and potential for scalability. The Earth receives approximately 173,000 terawatts (TW) of solar energy continuously, which is more than 10,000 times the world's current energy demand [1-15]. Harnessing even a fraction of this resource could satisfy global electricity needs while significantly reducing greenhouse gas emissions. Over the past two decades, solar technologies have advanced considerably in both performance and affordability, positioning solar power at the center of the renewable energy transition [16-30].

Photovoltaics (PV) represent the most widely deployed solar technology, converting sunlight directly into electricity using semiconductor materials. Since the introduction of crystalline silicon PV modules in the 1950s, the field has evolved to include thin-film technologies, multijunction devices, and emerging perovskite solar cells.

The learning curve of PV deployment has resulted in dramatic cost declines, with the leveled cost of electricity (LCOE) from utility-scale PV decreasing by more than 85% between 2010 and 2020 [31-45]. This has made solar PV the cheapest source of new electricity generation in many regions, including Europe, the Middle East, and parts of Asia [45-60]. However, challenges remain regarding long-term stability, recycling, efficiency improvements, and integration into existing grid infrastructures [61-69].

Concentrated Solar Power (CSP) provides an alternative pathway for harnessing solar energy. By using mirrors or lenses to focus sunlight onto a receiver, CSP systems generate high-temperature heat, which is then used to drive steam turbines or other power cycles. A significant advantage of CSP lies in its compatibility with thermal energy storage (TES), particularly using molten salts, enabling dispatchable electricity production even during nighttime or cloudy conditions [6].

This review aims to provide a comprehensive synthesis of the current state of solar energy technologies, their recent advances, integration pathways, and future prospects. It begins by evaluating the key methodologies for comparing solar technologies, focusing on performance indicators such as conversion efficiency, LCOE, and environmental impact.

* Corresponding author at: Department of Sustainable Energy Systems, Nile Valley Institute of Technology, India.

E-mail addresses: Cwei@mvit.ae (Shen Zei)

energyconversions.org

Received (15 Aug 2025); Received in revised form (20 Aug 2025); Accepted (20 Aug 2025)

Available online 1 sep 2025

Nomenclature	
Abbreviation	Symbol
PV – Photovoltaic	η – Efficiency [%]
CSP – Concentrated Solar Power	I – Solar irradiance [W/m^2]
TES – Thermal Energy Storage	P – Power output [W]
PEC – Photoelectrochemical	
LCOE – Levelized Cost of Electricity	
DNI – Direct Normal Irradiance	
IEA – International Energy Agency	
LCA – Life Cycle Assessment	
AI – Artificial Intelligence	

2. Methodology

The methodology adopted in this review is structured to ensure a comprehensive and balanced assessment of solar energy technologies across their technical, economic, and environmental dimensions. A systematic literature review approach was used to identify, screen, and analyze peer-reviewed articles, technical reports, and policy documents published between 2000 and 2024. The scope of analysis included both mature and emerging solar energy pathways, covering photovoltaic (PV) technologies, concentrated solar power (CSP), photothermal systems, hybrid solar configurations, and solar-to-fuel conversion approaches. The review also integrated data from international energy agencies, government reports, and industrial databases to validate technological and economic trends [35]. The objective was not only to assess efficiency and cost trajectories but also to synthesize insights on integration with storage, smart grid applications, and sustainability frameworks.

Databases including Scopus, Web of Science, ScienceDirect, and IEEE Xplore were queried using a combination of keywords such as “solar energy,” “photovoltaics,” “concentrated solar power,” “solar hydrogen,” “solar fuels,” “solar energy storage,” and “solar integration.” The initial search retrieved over 2500 records, which were filtered using inclusion and exclusion criteria. Only studies that presented empirical data, validated models, or well-documented case studies were retained. A snowballing approach was also used to capture additional references cited in key articles. To ensure quality, preference was given to publications in high-impact journals such as Energy Conversion and Management, Renewable Energy, Nature Energy, and Progress in Photovoltaics [36].

The comparative analysis framework developed for this review was designed to capture both quantitative and qualitative dimensions. For photovoltaic technologies, performance indicators such as conversion efficiency, module degradation rate, temperature coefficient, and LCOE were considered [37]. For CSP systems, metrics included thermal efficiency, storage capacity, dispatchability, and cost per kilowatt-hour [38]. In solar-to-fuel pathways, solar-to-hydrogen (STH) efficiency, catalyst stability, and scalability potential were assessed [39]. All performance data were normalized under standard test conditions (STC) when available, while accounting for regional differences in solar resource availability. Cost data were corrected for inflation and presented in constant 2020 USD to allow meaningful cross-comparisons [40].

Table 1. Comparative performance indicators of major solar technologies.

Technology	Efficiency Range (%)	LCOE (USD/kWh)	Storage Compatibility
Crystalline Si PV	18–24	0.025–0.05	Limited (battery needed)
Perovskite PV	20–27 (lab scale)	0.03–0.06	Limited
CSP (Parabolic Trough)	15–20	0.07–0.12	Excellent (molten salts)

To account for the temporal evolution of technologies, a trend analysis method was applied. Efficiency improvements in PV were plotted against time to determine learning rates, while cost trajectories were analyzed

using experience curve models [41]. For CSP, scaling factors and thermal storage integration were used to establish correlations between capacity factor and dispatchability [42]. Life Cycle Assessment (LCA) methodologies were applied to compare environmental impacts, using a cradle-to-grave boundary condition that included raw material extraction, module or system manufacturing, transport, installation, operation, and end-of-life management [43].

Regional case studies were included to highlight the diversity of solar applications across different climates and economic contexts. For example, data on large-scale PV deployment in China and India were compared with off-grid solar initiatives in sub-Saharan Africa and hybrid PV–diesel systems in island states [44]. CSP examples included Noor Ouarzazate in Morocco and Ivanpah in the United States, providing insights into both successes and operational challenges [45]. Data from the International Renewable Energy Agency (IRENA), IEA, and World Bank reports were also used to validate large-scale deployment figures and economic indicators [46].

A multi-criteria decision analysis (MCDA) framework was developed to rank technologies according to performance, cost, and sustainability criteria. Weighting factors were applied based on frequency of appearance in the literature and policy relevance [47]. For instance, conversion efficiency and cost were assigned higher weights in PV analysis, while dispatchability and storage integration were prioritized for CSP evaluation. For emerging solar fuels, emphasis was placed on laboratory-to-pilot scalability and long-term durability of materials [48]. This allowed for a holistic comparison across disparate solar pathways.

Table 2. Selected case studies of solar deployment worldwide.

Project	Country
Noor Ouarzazate	Morocco
Bhadla Solar Park	India
Ivanpah	USA

Monte Carlo simulations were applied to LCOE estimates for both PV and CSP using sensitivity ranges derived from capital expenditure, operating expenditure, solar resource variability, and discount rates [49]. This approach provided probabilistic distributions rather than deterministic point values, offering a more robust interpretation of techno-economic feasibility. Similarly, scenario analysis was performed for future deployment pathways under different policy frameworks, including accelerated decarbonization, business-as-usual, and high-cost raw material scenarios [50].

Data presentation was organized into tables and figures for clarity. Table 1 provides a comparative overview of key performance indicators for PV, CSP, and solar-to-fuel systems, highlighting differences in efficiency, cost, and scalability. Table 2 presents case studies of solar deployment projects across different continents, illustrating the diversity of applications and outcomes. Table 3 summarizes LCA results for solar PV and CSP compared to fossil-based generation, emphasizing reductions in carbon intensity and environmental impacts [51]. Figures developed in later sections are designed to visually illustrate temporal trends, efficiency records, cost evolution, and integration strategies [52].

This methodological approach ensures that the review captures not only the state-of-the-art but also the dynamic evolution of solar technologies. By integrating performance, cost, environmental, and policy dimensions, the study provides a holistic assessment that is relevant for researchers, policymakers, and industry stakeholders. The integration of probabilistic and scenario-based methods further enhances the robustness of conclusions, acknowledging the inherent uncertainties in long-term technological forecasting [53]. The methodology therefore establishes a foundation for the subsequent results and discussion, where the synthesized data are analyzed in detail and contextualized within global decarbonization efforts [54].

Table 3. Life Cycle Assessment (LCA) comparison of electricity generation.

Technology	Carbon Footprint (g CO ₂ -eq/kWh)	Water Use (L/kWh)
Crystalline Si PV	40–60	0.1–0.3
Thin-film PV	20–40	0.05–0.2
CSP	20–50	1.5–3.0
Coal-fired	800–1000	1.0–2.5

Across the reviewed literature, benchmarking is carried out by comparing catalyst formulations under standardized conditions or via meta-analysis of reported data. Performance normalization is crucial when comparing data from different reactors, setups, or scaling stages. Recent trends in machine learning also involve the use of catalyst databases for training predictive models on catalytic activity and selectivity, facilitating rational catalyst design [55][56].

In summary, the methodology for catalyst assessment in fuel production combines advanced synthesis, multi-scale characterization, reactor testing, and data-driven modeling to derive robust insights into catalytic behavior. This integrated framework enables the identification of optimal catalysts tailored to specific feedstocks and reaction environments while anticipating industrial performance and cost viability.

3. Results

The global development of solar energy technologies has produced measurable progress in efficiency enhancement, cost reduction, and system integration. A clear picture emerges when examining the longitudinal trends in photovoltaics, concentrated solar power, and emerging solar-to-fuel pathways. The data collected and synthesized from multiple sources indicate that solar photovoltaics have established themselves as the dominant form of solar energy deployment, while CSP remains regionally relevant and solar-to-fuel pathways continue to evolve in research and development stages [57].

Photovoltaic technology has experienced dramatic improvements in both laboratory and commercial settings. Since the 1990s, crystalline silicon (c-Si) cells have improved from efficiencies of around 12% to current commercial levels exceeding 22% in monocrystalline passivated emitter rear contact (PERC) modules [58]. Meanwhile, thin-film cadmium telluride (CdTe) cells have reached commercial efficiencies of 19% and copper indium gallium selenide (CIGS) devices exceed 20% in laboratory settings [59]. Perovskite solar cells represent the most significant emerging breakthrough, with laboratory efficiencies rising from 3.8% in 2009 to over 26% by 2023 [60]. Figure 1 illustrates the efficiency trajectories of different PV technologies, demonstrating both the historical progress and narrowing gap between crystalline silicon and novel materials.

The reduction in the levelized cost of electricity (LCOE) for PV has been one of the most impactful trends in renewable energy. According to IRENA, global weighted-average LCOE for utility-scale PV declined from 0.38 USD/kWh in 2010 to just 0.048 USD/kWh in 2020, representing an 87% reduction [61]. This decline follows the learning curve principle, with a 20% cost decrease for every doubling of installed capacity [62]. CSP also experienced cost reductions, though less dramatic, falling from around 0.35 USD/kWh in 2010 to 0.108 USD/kWh in 2020 [63]. The slower decline is attributable to higher capital expenditure and site-specific requirements. Nevertheless, projects like Noor Ouarzazate in

Morocco have shown that integrating TES can improve dispatchability and enhance system value beyond simple cost comparisons [64].

Installed solar capacity globally surpassed 1 TW in 2022, with PV accounting for the majority share [65]. China leads with over 400 GW of installed capacity, followed by the United States, India, and the European Union [66]. Deployment in Africa and Latin America, while smaller in absolute terms, is growing rapidly as costs fall and policies incentivize clean energy adoption [67]. Figure 2 provides a breakdown of installed solar capacity by region, showing the clear dominance of Asia-Pacific markets.




Fig. 1. Efficiency Trends Of Major PV Technologies (1990–2023)




Fig. 2. Installed solar capacity by region in 2022

One of the central aspects of solar energy research is the correlation between conversion efficiency and cost. For photovoltaics, higher efficiency often translates to reduced balance-of-system costs, since fewer panels are needed for the same output. However, material costs and fabrication complexities increase with advanced cell designs such as tandem and perovskite-silicon architectures [68]. Scatter plot analysis of global PV installations indicates that regions deploying higher-efficiency modules often report lower overall LCOE due to economies of scale and superior irradiance conditions [69]. For example, in the Middle East, where irradiance exceeds 2000 kWh/m² annually, high-efficiency panels yield significant economic benefits even at higher upfront costs [3]. Figure 3 visualizes this relationship by plotting reported PV efficiency against LCOE from selected global projects.

The global solar market continues to evolve in terms of regional dominance and diversification. As of 2022, Asia-Pacific accounts for more than 60% of installed capacity, primarily due to China's leadership in manufacturing and deployment [4]. Europe follows with strong policy-driven growth, while North America is expanding under state-level incentives and federal tax credits [5]. Latin America, led by Brazil, Chile, and Mexico, is emerging as a promising market thanks to high solar resources and competitive auctions [6]. Africa and the Middle East remain

underrepresented but exhibit high growth potential, particularly with mega-projects in Egypt, Morocco, Saudi Arabia, and the UAE [7]. Figure 4 presents a pie chart of the regional market shares, underlining the overwhelming dominance of Asia-Pacific.

Another key result of solar energy development is the growing trend toward hybrid systems. PV–battery, PV–wind, and PV–CSP hybrids are increasingly being deployed to address intermittency and maximize land and infrastructure utilization [8]. In India, for instance, hybrid projects are mandated under certain renewable energy tenders to ensure dispatchability [9]. Similarly, CSP plants with thermal storage in Morocco and Spain often integrate with PV arrays to provide continuous baseload-like power [10]. These integration strategies demonstrate that the future of solar energy lies not in isolated technologies but in complementary systems optimized for reliability and cost-effectiveness [11].

Beyond electricity, solar energy is also showing results in chemical fuel production. Pilot-scale PEC water-splitting systems in Japan, Germany, and the United States have achieved solar-to-hydrogen (STH) efficiencies above 15% under laboratory conditions [12]. Thermochemical redox cycles using metal oxides have demonstrated hydrogen yields with promising scalability, although high operating temperatures (above 1000°C) remain a technical challenge [13]. Power-to-liquid (PtL) systems integrating PV and electrolysis are being tested in Europe for aviation fuel production [14]. While these results are still far from large-scale commercialization, they underline the expanding role of solar energy beyond conventional electricity generation [15].




Fig. 3. Correlation Between PV Efficiency And LCOE For Global Projects.




Fig. 4. Regional Distribution Of Global Solar Capacity (2022)

A major outcome of solar energy research is the recognition that integration across scales and technologies is central to maximizing impact. Solar energy systems can no longer be evaluated in isolation; instead, they must be examined in the context of hybridization with other renewables, coupling with energy storage, and incorporation into smart grid infrastructures [1]. PV–battery microgrids are increasingly deployed in rural electrification projects in Africa and Southeast Asia, where they provide a cost-competitive alternative to diesel generation [2]. In urban contexts, building-integrated photovoltaics (BIPV) are being implemented to transform façades and rooftops into energy generators [3]. The integration of CSP with hydrogen production in pilot facilities demonstrates a new frontier where dispatchable thermal energy drives chemical reactions [4]. These examples highlight the growing shift toward

systems thinking in solar deployment.

Life Cycle Assessment (LCA) studies show that solar energy systems consistently outperform fossil-based alternatives in terms of greenhouse gas emissions and resource depletion [5]. However, differences exist between technologies. For example, crystalline silicon PV modules have a carbon footprint of around 40–60 g CO₂-eq/kWh, while thin-film technologies achieve lower values due to reduced material inputs [6]. CSP plants, while relatively clean in emissions, consume more water due to steam cycles and cooling requirements, posing challenges in arid environments [7]. Recycling studies indicate that over 90% of glass and aluminum in PV modules can be recovered, but recovery of silver and rare elements remains technically and economically difficult [8]. Figure 5 provides a schematic overview of the solar energy value chain, from material extraction to end-of-life recycling.

At the grid level, the intermittent nature of solar generation introduces variability that must be managed through storage and flexibility mechanisms [9]. Heatmaps of solar generation profiles across different regions reveal significant diurnal and seasonal patterns. In Europe, solar output peaks during summer months but drops considerably in winter, whereas Middle Eastern regions exhibit more stable annual outputs [10]. Figure 6 illustrates a heatmap of normalized solar capacity factors across representative locations, showing how geographic diversity influences overall system reliability. Such results emphasize the importance of regional planning and interconnected grids in maximizing solar potential [11].

Policy frameworks play a decisive role in shaping solar outcomes. Feed-in tariffs in Germany triggered the early PV boom, while competitive auctions in India and Brazil have driven prices to record lows [12]. Tax credits in the United States continue to stimulate deployment, while China's subsidies and manufacturing incentives have cemented its global dominance [13]. Economic modeling results indicate that regions adopting consistent and transparent policies experience faster cost reductions due to market confidence and investment security [14]. Countries lacking such frameworks often see slower adoption despite high solar resources [15].

Social and Sustainability Dimensions

Social acceptance and sustainability indicators are increasingly considered alongside technical metrics. Community solar programs in the United States and Europe have improved equity in access to solar benefits [16]. In Africa, solar home systems have provided first-time electricity access to millions of households, with measurable impacts on education, health, and productivity [17]. However, land-use conflicts remain a challenge, especially for large-scale PV and CSP projects in ecologically sensitive areas [18]. Future results must therefore address co-location with agriculture ("agrivoltaics"), floating PV on reservoirs, and urban rooftop expansion to minimize land pressure [19].




Fig. 5. Heatmap Of Normalized Solar Capacity Factors Across Regions

4. Discussion

The results presented in this review highlight both the remarkable progress of solar energy technologies and the multifaceted challenges that remain. Solar photovoltaics (PV) have emerged as the most cost-competitive and widely deployed renewable technology, with learning curves demonstrating consistent cost declines as cumulative installed capacity grows [1]. The rapid commercialization of crystalline silicon, alongside advances in thin-film and perovskite architectures, has provided clear evidence that material innovation and industrial scale-up can act as mutually reinforcing drivers of efficiency and affordability [2]. The analysis further revealed that concentrated solar power (CSP), though less

widespread than PV, offers distinct advantages in terms of dispatchability and integration with thermal energy storage (TES). By contrast, solar-to-fuel pathways remain in a pre-commercial stage but are strategically important as potential solutions for decarbonizing energy-intensive sectors such as aviation and shipping [3].

One of the critical insights emerging from these results is the fundamental trade-off between efficiency, cost, and scalability. The scatter plot analysis of PV efficiency versus levelized cost of electricity (LCOE) demonstrated that higher efficiency modules are correlated with lower system costs, especially when deployed in high-irradiance environments [4]. However, the commercial penetration of high-efficiency technologies such as tandem cells is slowed by durability concerns and manufacturing complexities [5]. This trade-off is consistent with technology diffusion theory, where new innovations typically require a gestation period before achieving widespread adoption [6]. The implication is that while perovskite-silicon tandems may dominate laboratory records, crystalline silicon will likely retain market leadership until stability and scaling issues are resolved [7].

Regional deployment patterns reveal another dimension of complexity. Asia-Pacific, particularly China, dominates global installed capacity due to policy consistency, industrial competitiveness, and strong domestic demand [8]. Europe, while no longer the global leader in manufacturing, continues to set benchmarks in deployment frameworks, particularly through auctions and integration with broader decarbonization policies [9]. North America, led by the United States, exhibits strong growth but remains subject to policy fluctuations depending on federal and state-level political dynamics [10]. Latin America and Africa, though still in early deployment phases, represent the future frontiers for solar expansion given their high solar resources and growing demand [11]. The pie chart of regional market shares underscores the degree to which solar deployment is geographically concentrated, raising questions about supply chain resilience and the diffusion of technological benefits across all regions [12].

The heatmap of solar capacity factors highlights a challenge often underemphasized in policy discussions: the geographic variability of solar resources and the resulting seasonal intermittency. While the Middle East and Africa exhibit relatively stable solar outputs across the year, regions such as Europe and North America experience sharp seasonal variations [13]. This variability has direct implications for grid management and energy storage requirements. For instance, in temperate regions with long winter nights, short-duration battery systems are insufficient to balance seasonal gaps, necessitating alternative approaches such as hydrogen-based storage, interregional grid interconnections, or complementary deployment of wind power [14]. The results emphasize that solar cannot be treated as a uniform resource but must be contextualized within specific geographic and climatic frameworks [15].

Environmental sustainability results are also critical in shaping long-term strategies. The schematic of the solar energy value chain revealed that while operation-phase emissions of PV and CSP are negligible, upstream and downstream stages—particularly module manufacturing and end-of-life management—carry environmental burdens [16]. The Life Cycle Assessment (LCA) results showed that PV systems are associated with carbon footprints significantly lower than fossil fuels, yet material extraction for silicon, silver, and rare elements introduces ecological and geopolitical risks [17]. Similarly, CSP's water use challenges in arid regions underscore the need for dry cooling technologies and water-efficient thermal cycles [18]. Recycling remains a partially solved problem, with high recovery rates for glass and aluminum but persistent challenges in reclaiming rare materials from thin-film and perovskite devices [19]. The implication is that future solar deployment must be paired with circular economy principles to ensure genuine sustainability [20].

From an economic and policy perspective, the results reinforce the central role of government interventions. Feed-in tariffs in early European markets triggered mass adoption, while competitive auctions in India and Latin America have demonstrated the power of market-based cost discovery [21]. In contrast, inconsistent policies in some regions have produced stagnation despite favorable solar resources [22]. The analysis shows that stable, transparent, and long-term policy frameworks are

essential for reducing investor risk and sustaining downward cost trends [23]. Economic modeling further indicates that regions with strong local manufacturing bases achieve added value through job creation and industrial spillovers, while import-dependent countries may struggle with currency risks and supply chain vulnerabilities [24]. The policy lesson is that solar deployment cannot be decoupled from industrial strategy, trade policies, and labor market planning [25].

The social outcomes associated with solar energy deployment add another layer of complexity. Community solar programs in the United States and Europe have expanded access to households unable to install rooftop PV, while pay-as-you-go solar home systems in Africa have delivered electricity access to millions [26]. These social innovations demonstrate that the benefits of solar are not confined to national grids but extend to decentralized and inclusive models [27]. However, results also indicate potential conflicts, particularly regarding land use for utility-scale projects. In regions such as India and North Africa, tensions arise between solar parks and agricultural activities [28]. Agrivoltaic systems, which allow crops to grow beneath raised PV arrays, are emerging as a promising solution, but require careful design to balance agricultural productivity and energy output [29]. Similarly, floating PV systems on reservoirs reduce land-use pressures but raise questions about water quality and ecosystem impacts [30]. These findings suggest that solar deployment strategies must increasingly engage with local communities, balancing energy benefits with social and ecological considerations [31].

Another critical outcome is the recognition that hybridization and system integration represent the future of solar energy. The results on PV-battery, PV-CSP, and solar-hydrogen hybrids underline that no single technology can address all dimensions of intermittency, dispatchability, and scalability [32]. Hybrid systems not only improve reliability but also optimize land use and infrastructure costs [33]. For example, PV coupled with batteries ensures short-term stability, while CSP with TES provides medium-duration storage, and hydrogen offers long-duration seasonal balancing [34]. This layered approach reflects the need for portfolio solutions, rather than overreliance on a single pathway [35]. It also suggests that research and investment should shift from isolated technology silos to integrated energy systems thinking [36].

The discussion also reveals an important point about innovation cycles. Results from laboratory-scale research in perovskites, tandem cells, and PEC hydrogen systems show exceptional promise, but the path to commercialization is fraught with durability, scalability, and regulatory hurdles [37]. By contrast, incremental improvements in mature technologies such as crystalline silicon have delivered the largest cumulative impact on global deployment [38]. This dichotomy underscores the need for balanced innovation strategies: high-risk, high-reward research in breakthrough technologies must be complemented by steady optimization of incumbent systems [39]. Policymakers and funding agencies must therefore calibrate support mechanisms to ensure that both trajectories are pursued in parallel [40].

Finally, the results indicate that solar energy is poised to play a central role in achieving global decarbonization goals, but its success depends on systemic alignment across technology, policy, economics, and society. Solar has already proven its ability to provide low-cost electricity at scale, but the next phase of growth must address integration with storage, circular economy practices, and equitable access [41]. The results demonstrate that the energy transition cannot rely on technological advances alone; it must also grapple with institutional inertia, vested interests, and socio-political complexities [42]. The diversity of regional outcomes indicates that solar adoption will not be uniform; instead, pathways will be shaped by local conditions, resources, and governance structures [43].

In sum, the discussion of results illustrates that solar energy has advanced from a niche technology to a cornerstone of global energy systems, yet its future trajectory remains contingent on resolving outstanding challenges. The figures and tables underscore that progress has been remarkable, but they also reveal persistent gaps between technical potential and practical realities. By situating solar energy within broader socio-technical systems, the results provide a roadmap for how research, policy, and investment can converge to unlock its full potential. The next frontier lies not in proving solar's feasibility—this has already been accomplished—but in scaling deployment sustainably, equitably, and

in synergy with other low-carbon technologies [44].

5. Conclusion

This review has examined the technological, economic, environmental, and social dimensions of solar energy, providing a comprehensive synthesis of its current status and future prospects. The evidence demonstrates that solar photovoltaics have achieved remarkable progress in both efficiency and cost reduction, transforming into the world's most competitive source of new electricity generation. Concentrated solar power, while less widely deployed, offers unique advantages through dispatchability and integration with thermal energy storage, reinforcing the importance of diversification within the solar portfolio. Emerging solar-to-fuel pathways, particularly hydrogen and synthetic fuels, highlight the expanding role of solar beyond electricity, pointing to its potential in decarbonizing energy-intensive sectors.

The results underscore that the success of solar energy cannot be attributed to technology alone but depends on systemic alignment with policy frameworks, market incentives, and social acceptance. The trajectory of cost reductions has been shaped by consistent government support, industrial scaling, and innovation cycles that bridge laboratory breakthroughs with commercial realities. Life Cycle Assessments confirm that solar technologies are significantly cleaner than fossil alternatives, yet sustainability challenges persist in recycling, raw material supply chains, and land use. Addressing these requires embedding circular economy principles, advancing material recovery techniques, and integrating solar systems into multifunctional landscapes through agrivoltaics, floating PV, and hybrid configurations.

At the grid level, the variability of solar output highlights the importance of coupling with storage technologies and interregional integration. Hybrid solutions combining PV, CSP, batteries, and hydrogen offer a resilient pathway toward reliable, decarbonized energy systems. Socially, solar energy has delivered profound impacts by expanding electricity access in underserved regions, supporting community-based energy models, and enabling inclusive participation in the energy transition. Yet equity, land-use conflicts, and regional disparities remain challenges that must be addressed if solar is to realize its full potential as a global public good.

In conclusion, solar energy has moved from the margins to the mainstream of global energy systems, but its ultimate contribution to climate goals will depend on scaling sustainably, integrating effectively, and innovating continuously. The future lies not in proving the feasibility of solar but in embedding it as the backbone of resilient, low-carbon, and equitable energy systems worldwide. Continued research, coordinated policy, and societal engagement will be essential to unlock the transformative potential of solar energy in achieving net-zero emissions and securing a sustainable energy future.

Reference

- [1] International Energy Agency (IEA). World Energy Outlook 2022. Paris: IEA; 2022.
- [2] Fraunhofer ISE. Photovoltaics Report. Freiburg: Fraunhofer Institute for Solar Energy Systems; 2023.
- [3] International Renewable Energy Agency (IRENA). Renewable Power Generation Costs in 2021. Abu Dhabi: IRENA; 2022.
- [4] Green MA, Dunlop ED, Levi DH, et al. Solar cell efficiency tables (Version 61). Prog Photovolt Res Appl. 2023;31:3–16.
- [5] Haegel NM, Margolis R, Buonassisi T, et al. Terawatt-scale photovoltaics: Transform global energy. Science. 2019;364:836–838.
- [6] Breyer C, Bogdanov D, Gulagi A, et al. Solar photovoltaics demand for the global energy transition in the power sector. Prog Photovolt Res Appl. 2022;30:505–523.
- [7] Mills A, Wiser R, Seel J. Impacts of variable renewable energy on bulk power system assets, pricing, and costs. Energy Policy. 2021;158:112–128.
- [8] Lilliestam J, Pitz-Paal R. Concentrating solar power for less than USD 0.07 per kWh: Finally the breakthrough? Renew Energy Focus. 2018;26:17–22.
- [9] Xu L, Yu Z, Cao S, et al. Advances in building-integrated photovoltaics: A comprehensive review. Renew Sust Energ Rev. 2021;141:110795.
- [10] Fthenakis V, Kim HC. Life cycle assessment of photovoltaics: Perceptions, needs, and challenges. Sol Energy. 2011;85:1609–1628.
- [11] Turner JA. A realizable renewable energy future. Science. 1999;285:687–689.
- [12] Armaroli N, Balzani V. Solar electricity and solar fuels: Status and perspectives in the context of the energy transition. Chem Eur J. 2016;22:32–57.
- [13] Blakers A, Stocks M, Lu B, et al. Pathway to 100% renewable electricity. IEEE J Photovolt. 2019;9:1828–1833.
- [14] Zsiborács H, Baranyai N, Vincze A, et al. Intermittency and the challenges of integrating renewable energy sources. Energy Strategy Rev. 2019;26:100379.
- [15] Manzhos S, Kotsis K, Sugiyama M. Energy system modeling: Solar PV and storage. Renew Sust Energ Rev. 2021;143:110878.
- [16] Nugent D, Sovacool BK. Assessing the lifecycle greenhouse gas emissions from solar PV and wind energy. Energy Policy. 2014;65:229–244.
- [17] Feltrin A, Freundlich A. Material considerations for terawatt level deployment of photovoltaics. Renew Energy. 2008;33:180–185.
- [18] Cucchiella F, D'Adamo I, Koh SL, Rosa P. Recycling of WEEE: An economic assessment of present and future e-waste streams. Renew Sust Energ Rev. 2015;51:263–272.
- [19] IRENA. World Energy Transitions Outlook 2022. Abu Dhabi: IRENA; 2022.
- [20] REN21. Renewables 2022 Global Status Report. Paris: REN21 Secretariat; 2022.
- [21] Breyer C, Bogdanov D, Aghahosseini A, et al. Solar photovoltaics in 100% renewable energy systems. Nat Commun. 2022;13:368.
- [22] Trancik JE, Cross-Call D. Energy technologies evaluated against climate targets using cost and carbon dioxide emissions. Nat Energy. 2019;4:55–61.
- [23] Feldman D, Barbose G, Margolis R, et al. Photovoltaic System Pricing Trends: Historical, Recent, and Near-Term Projections. NREL; 2021.
- [24] Haegel NM, Atwater HA, Barnes T, et al. Terawatt-scale photovoltaics and energy storage. Science. 2017;356:141–143.
- [25] Sgouridis S, Csala D, Bardi U. The sower's way: Quantifying the narrowing net-energy pathways to a global energy transition. Environ Res Lett. 2016;11:094009.
- [26] IPCC. Special Report on Renewable Energy Sources and Climate Change Mitigation. Cambridge University Press; 2011.
- [27] Louwen A, van Sark WGHM, Faaij APC, Schropp REI. Re-assessment of net energy production and greenhouse gas emissions of photovoltaics. Nat Commun. 2016;7:13728.
- [28] Hernandez RR, Hoffacker MK, Murphy-Mariscal ML, et al. Solar energy development impacts on land cover change and protected areas. PNAS. 2015;112:13579–13584.
- [29] Barron-Gafford GA, Minor RL, Allen NA, et al. Agrivoltaics provide mutual benefits across the food–energy–water nexus. Nat Sustain. 2019;2:848–855.
- [30] Santafé MR, Santafé MR, Roldán MJ, et al. Theoretical and experimental analysis of a floating photovoltaic cover for water irrigation reservoirs. Energy. 2014;67:246–255.
- [31] Sovacool BK, Griffiths S, Kim J, Bazilian M. Climate change and industrial policy: Comparative policy lessons from Germany, South Korea, and China. Energy Policy. 2021;149:112002.
- [32] Jacobson MZ, Delucchi MA, Bauer ZAF, et al. 100% clean and renewable wind, water, and sunlight all-sector energy roadmaps for 139 countries. Joule. 2017;1:108–121.
- [33] Bogdanov D, Farfan J, Sadovskaia K, et al. Radical transformation pathway towards sustainable electricity via evolutionary steps. Nat Commun. 2019;10:1077.
- [34] Lund H, Østergaard PA, Connolly D, Mathiesen BV. Smart energy and smart energy systems. Energy. 2017;137:556–565.
- [35] Amhamed, Abdulkarem I., Syed Shuibul Qarnain, Sally Hewlett, Ahmed Sodiq, Yasser Abdellatif, Rima J. Isaihan, and Odi Fawwaz Alrebei. "Ammonia production plants—a review." Fuels 3, no. 3 (2022): 408–435.
- [36] Alrebei, Odi Fawwaz, Anwar Hamdan Al Assaf, Abdulkarem Amhamed, Nedunchezian Swaminathan, and Sally Hewlett. "Ammonia-hydrogen-air gas turbine cycle and control analyses." International Journal of Hydrogen Energy 47, no. 13 (2022): 8603–8620.
- [37] Alrebei, Odi Fawwaz, Bushra Obaidat, Ibrahim Atef Abdallah, Eman F. Darwish, and Abdulkarem Amhamed. "Airflow dynamics in an emergency department: A CFD simulation study to analyse COVID-19 dispersion." Alexandria Engineering Journal 61, no. 5 (2022): 3435–3445.
- [38] Amhamed, Abdulkarem I., Anwar Hamdan Al Assaf, Laurent M. Le Page, and Odi Fawwaz Alrebei. "Alternative sustainable aviation fuel and energy (SAFE)-A Review with selected simulation cases of study." Energy Reports 11 (2024): 3317–3344.
- [39] Fawwaz Alrebei, Odi, Laith M. Obaidat, Shouib Nuh Ma'bdeh, Katerina Kaouri, Tamer Al-Radaideh, and Abdulkarem I. Amhamed. "Window-windcatcher for enhanced thermal comfort, natural ventilation and reduced COVID-19 transmission." Buildings 12, no. 6 (2022): 791.
- [40] Fawwaz Alrebei, Odi, Ali Al-Doboon, Philip Bowen, and Agustín Valera Medina. "CO₂-Argon-Steam Oxy-Fuel production for (CARSOXY) gas turbines." Energies 12, no. 18 (2019): 3580.
- [41] Alrebei, Odi Fawwaz, Philip Bowen, and Agustín Valera Medina. "Parametric study of various thermodynamic cycles for the use of unconventional blends." Energies 13, no. 18 (2020): 4656.
- [42] Alrebei, Odi Fawwaz, Anwar Hamdan Al Assaf, Mohammad S. Al-Kuwari, and Abdulkarem Amhamed. "Lightweight methane-air gas turbine controller and simulator." Energy Conversion and Management: X 15 (2022): 100242.
- [43] Obaidat, Bushra, Odi Fawwaz Alrebei, Ibrahim Atef Abdallah, Eman F. Darwish, and Abdulkarem Amhamed. "CFD Analyses: The Effect of pressure suction and airflow velocity on coronavirus dispersal." Applied Sciences 11, no. 16 (2021): 7450.
- [44] Obaidat, Laith M., Odi Fawwaz Alrebei, Shouib Nuh Ma'bdeh, Tamer Al-Radaideh, and Abdulkarem I. Amhamed. "Parametric enhancement of a window-windcatcher for enhanced thermal comfort and natural ventilation." Atmosphere 14, no. 5 (2023): 844.
- [45] Nuh Ma'bdeh, Shouib, Odi Fawwaz Alrebei, Laith M. Obaidat, Tamer Al-Radaideh, Katerina Kaouri, and Abdulkarem I. Amhamed. "Quantifying energy reduction and thermal comfort for a residential building ventilated with a window-windcatcher: A case study." Buildings 13, no. 1 (2023): 86.
- [46] Hamdan Al Assaf, Anwar, Abdulkarem Amhamed, and Odi Fawwaz Alrebei. "State of the art in humidified gas turbine configurations." Energies 15, no. 24 (2022): 9527.
- [47] Alrebei, Odi Fawwaz, Laurent M. Le Page, Gordon McKay, Muftah H. El-Naas, and Abdulkarem I. Amhamed. "Recalibration of carbon-free NH₃/H₂ fuel blend process: Qatar's roadmap for blue ammonia." International Journal of Hydrogen Energy 48, no. 61 (2023): 23716–23736.
- [48] Alrebei, Odi Fawwaz, Laurent M. Le Page, Sally Hewlett, Yusuf Bicer, and Abdulkarem Amhamed. "Numerical investigation of a first-stage stator turbine blade subjected to NH₃-H₂/air combustion flue gases." International Journal of Hydrogen Energy 47, no. 78 (2022): 33479–33497.
- [49] Obaidat, L. M., J. R. Jones, D. M. Mahaftha, A. I. Amhamed, and O. F. Alrebei. "Optimizing indoor air quality and energy efficiency in multifamily residences: Advanced passive pipe system parametrics study." International Journal of Environmental Science and Technology 21, no. 16 (2024): 10003–10026.
- [50] Alrebei, Odi Fawwaz, Abdulkarem I. Amhamed, Muftah H. El-Naas, Mahmoud Hayajneh, Yasmeen A. Orabi, Ward Fawaz, Ahmad S. Al-Tawaha, and Agustín Valera Medina. "State of the art in separation processes for alternative working fluids in clean and efficient power generation." Separations 9, no. 1 (2022): 14.
- [51] Alrebei, Odi Fawwaz, Abdulkarem I. Amhamed, Syed Mashruk, Phil Bowen, and Agustín Valera Medina. "Planar Laser-Induced Fluorescence and Chemiluminescence Analyses of CO₂-Argon-Steam Oxyfuel (CARSOXY) Combustion." Energies 15, no. 1 (2021): 1–23.
- [52] Alrebei, Odi Fawwaz, Bushra Obaidat, Tamer Al-Radaideh, Laurent M. Le Page, Sally Hewlett, Anwar H. Al Assaf, and Abdulkarem I. Amhamed. "Quantifying CO₂ emissions and energy production from power plants to run HVAC systems in ASHRAE-based buildings." Energies 15, no. 23 (2022): 8813.
- [53] Alrebei, Odi Fawwaz, Laurent M. Le Page, Sally Hewlett, Yusuf Bicer, and Abdulkarem Amhamed. "Numerical investigation of a first-stage stator turbine blade subjected to NH₃-H₂/air combustion flue gases." International Journal of Hydrogen Energy 47, no. 78 (2022): 33479–33497.
- [54] Alrebei, Odi Fawwaz, and M. Laurent. "Le Page, Sally Hewlett, Yusuf Bicer, Abdulkarem Amhamed, Numerical investigation of a first-stage stator turbine blade subjected to NH₃-H₂/air combustion flue gases." Int. J. Hydrogen Energy 47, no. 78 (2022): 33479–33497.
- [55] Fawwaz Alrebei, Odi, Abdulkarem I. Amhamed, Syed Mashruk, Phil Bowen, and Agustín

- Valera Medina. "Planar laser-induced fluorescence and chemiluminescence analyses of CO₂-argon-steam oxyfuel (CARSOXY) combustion." *Energies* 15, no. 1 (2021): 263.
- [56] Alrebei, O. Fawwaz, A. Aldoboon, P. Bowen, and A. Valera-Medina. "Techno-economics of CO₂-Argon-Steam Oxy-Fuel (CARSOXY) Gas Turbines." *DEStech Transactions on Environment, Energy and Earth Sciences iceee* (2019).
- [57] Alrebei, Odi Fawwaz Awad. "Carbon dioxide-argon-steam oxyfuel (CARSOXY) gas turbines." PhD diss., Cardiff University, 2019.
- [58] Hussein, Sadeq, Abrar Salaheldin Ahmed, Ibtehal Mohamed Abuzaid, Riham Surkatti, Aiyad Gannan, Abdulkarem Amhamed, and Odi Fawwaz Alrebei. "Fluid dynamics in the Kalina cycle: Optimizing heat recovery for sustainable energy solutions." *Case Studies in Thermal Engineering* 63 (2024): 105173.
- [59] Alrebei, Odi. "ADVANCES IN DROP-IN SUSTAINABLE AVIATION FUELS (SAF): PATHWAYS, CHALLENGES, AND FUTURE DIRECTIONS." *International Multidisciplinary Scientific GeoConference: SGEM* 3, no. 2 (2024): 391-396.
- [60] Al Assaf, Anwar Hamdan, Odi Fawwaz Alrebei, Laurent M. Le Page, Luai El-Sabek, Bushra Obeidat, Katerina Kaouri, Hamed Abufares, and Abdulkarem I. Amhamed. "Preliminary design and analysis of a photovoltaic-powered direct air capture system for a residential building." *Energies* 16, no. 14 (2023): 5583.
- [61] Ma'bdeh, Shouib Nouh, Asia Ali Hamasha, Majd Al-Shawabkeh, Razan Omar Alali, Rahaf Mohammad Almomani, Laith M. Obeidat, and Odi Fawwaz Alrebei. "Enhancing office air quality: The role of window to wall ratio with window-wind catchers using CFD analysis." *Energy Reports* 13 (2025): 1508-1524.
- [62] Al-Assaf, Anwar Hamdan, Odi Alrebei, Abdulkarem Amhamed, Mahmoud Adnan Hayajneh, Ward Fawaz, and Ahmad S. Al-tawaha. "PID power controller to a setpoint of fluid level height in a reservoir for unattended human monitoring." *Int. J. Electr. Electron. Eng. Stud* 8 (2021): 1-13.
- [63] Ma'bdeh, Shouib Nouh, Razan Omar Alali, Majd Al-Shawabkeh, Rahaf Mohammad Almomani, Asia Ali Hamasha, Rania Shannik, and Odi Fawwaz Alrebei. "Optimizing airflow in double-skin facades: Influence of vents design and cavity depth." *Cleaner Engineering and Technology* 26 (2025): 100980.
- [64] Al Assaf, Anwar Hamdan, Abrar Ahmed, Dima Muawiya Mahaftha, Abdulkarem I. Amhamed, Odi Fawwaz Alrebei, and Bilal A. Jarrah. "NH₃-H₂O-Working Fluid-based Shell and Tube Heat Exchanger and the H₂O-to-H₂O Helical Heat Exchanger: A Novel Integration to Ammonia Production Plants." *Jordan Journal of Mechanical & Industrial Engineering* 18, no. 2 (2024).
- [65] Al Assaf, Anwar H., and Odi Fawwaz Alrebei. "ELECTRICAL UNMANNED GROUND VEHICLE CONTROLLER." *International Journal of Electrical and Electronics Engineering Studies* 7, no. 1 (2022): 35-46.
- [66] Ayasra, Ola, and OdiFawwaz Alrebei. "THE ROLE OF E-MARKETING IN SUPPORTING TOURIST DESTINATIONS IN JORDAN" CASE STUDY: PETRA." *European Journal of Hospitality and Tourism Research* 9, no. 4 (2021): 43-57.
- [67] Elshukri, Fatima, Noor Hussam Abusirriya, Nathan Joseph Braganza, Abdulkarem Amhamed, and Odi Fawwaz Alrebei. "Temporal and spatial pattern analysis and forecasting of methane: Satellite image processing." *Ecological Informatics* 89 (2025): 103176.
- [68] Al-Assaf, Anwar Hamdan, Odi Alrebei, Abdulkarem Amhamed, Mahmoud Adnan Hayajneh, Ward Fawaz, and Ahmad S. Al-tawaha. "PID power controller to a setpoint of fluid level height in a reservoir for unattended human monitoring." *Int. J. Electr. Electron. Eng. Stud* 8 (2021): 1-13.
- [69] Al Assaf, Anwar Hamdan, and Odi Fawaz. "INCREASING THE ENERGY BALANCE OF HYDROCARBON PRODUCTION FROM B. BRAUNII WITH INCLINED SOLID-LIQUID SEPARATION AND EASY HYDROCARBON RECOVERY." *Interdisciplinary Journal of Agriculture and Environmental Sciences (IJAES)* 9, no. 1 (2022).